

SAFETY DATA SHEET

Date Prepared : 12/10/2014

SDS No : PTC

Prime Time WC

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Prime Time WC
GENERAL USE: Preparing wood floors prior to sealing/finishing.
PRODUCT DESCRIPTION: Waterbased Wood Floor Cleaner
PRODUCT CODE: PTC
CHEMICAL FAMILY: Solvent/detergent blend

MANUFACTURER

MISCO Products Corporation
1048 Stinson Drive
Reading, PA 19605

Emergency Phone: 610-926-4106

Customer Service: 800-548-4568

Transportation: 800-548-4568

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEM-TEL (Medical and Transportation): 800-255-3924

POISON CONTROL CENTER (Medical): 800-222-1222

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Eye Irritation, Category 2B

Skin Irritation, Category 3

Physical:

Combustible Liquid, Category 4

GHS LABEL

SIGNAL WORD: WARNING

HAZARD STATEMENTS

H320: Causes eye irritation.

H316: Causes mild skin irritation.

H227: Combustible liquid.

PRECAUTIONARY STATEMENT(S)

Prevention:

P264: Wash hands thoroughly after handling.

P262: Do not get in eyes, on skin, or on clothing.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

9281MBFX: Wear protective gloves and eye protection.

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P370+P378: In case of fire: Use dry chemical, foam or water mist to extinguish.

Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Disposal:

P501: Dispose of contents/container according to all local, state and Federal regulations.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Blue liquid

IMMEDIATE CONCERNS: Eye irritant

POTENTIAL HEALTH EFFECTS

EYES: Contact causes eye irritation.

SKIN: Skin irritant with prolonged or repeated contact.

SKIN ABSORPTION: None Expected.

INGESTION: Although of moderate to low toxicity, ingestion can cause gastrointestinal irritation, nausea, vomiting, diarrhea, and possible death.

INHALATION: High concentrations may lead to central nervous system effects (drowsiness, dizziness, nausea, headaches)

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS: No known significant effects or critical hazards.

TERATOGENIC EFFECTS: No known significant effects or critical hazards.

CARCINOGENICITY: Contains an ingredient listed under IARC Group 3 status.

MUTAGENICITY: No known significant effects or critical hazards.

ROUTES OF ENTRY: Ingestion, eye

CANCER STATEMENT: Contains an ingredient listed under IARC Group 3 status.

WARNING CAUTION LABELS: None

PHYSICAL HAZARDS: None Expected.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Isopropanol	0 - 2	67-63-0
Ethylene glycol butyl ether	5 - 10	111-76-2
Sodium Lauryl Sulfate	0 - 1	151-21-3
Dye	< 0.1	N/A
Water	90 - 98	7732-18-5

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Burning sensation with tearing, redness.

SKIN: Redness and itching sensation.

INGESTION: Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

ACUTE TOXICITY: None known.

CHRONIC EFFECTS: No known significant effects or critical hazards.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: IIIA (140-200F)

GENERAL HAZARD: Combustible Liquid

EXTINGUISHING MEDIA: Use Dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide from combustion

EXPLOSION HAZARDS: Fire exposed containers may burst due to increased pressure from heat.

FIRE FIGHTING PROCEDURES: Keep fire exposed containers cool with water stream or mist.

FIRE FIGHTING EQUIPMENT: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition can lead to release of irritating gases and vapors.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Shut off any ignition sources. Avoid walking in product. Wipe up or otherwise flush small spills (less than 1 gallon) to sanitary sewer.

LARGE SPILL: Shut off all ignition sources. Ventilate area. Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid discharges into open waterways.

LAND SPILL: Avoid discharge to soil.

AIR SPILL: NA = Not Applicable

GENERAL PROCEDURES: Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Close container after use.

HANDLING: Avoid contact with skin and eyes. Wash hands before eating, drinking, smoking or using toilet facilities.

STORAGE: Store in closed container in an area inaccessible to children.

STORAGE TEMPERATURE: Store at ambient temperatures.

STORAGE PRESSURE: Store at ambient atmospheric pressure.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Isopropanol	TWA	400	980	200	490	NL	NL
	STEL			400	960	NL	NL
Ethylene glycol butyl ether	TWA	50	240	20	97	NL	NL
	STEL					NL	NL

ENGINEERING CONTROLS: Use in well ventilated area.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses with side shields.

SKIN: Rubber or other chemical resistant gloves.

RESPIRATORY: A respirator is not needed under normal and intended conditions of product use.

PROTECTIVE CLOTHING: No special requirements.

WORK HYGIENIC PRACTICES: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid
ODOR: Characteristic.
ODOR THRESHOLD: Not Established
COLOR: Blue
pH: 10.5 to 12.0
PERCENT VOLATILE: >98
FLASH POINT AND METHOD: ~ 64°C (147°F) Tag Closed Cup (TCC)
FLAMMABLE LIMITS: 2.0 to 12.0
AUTOIGNITION TEMPERATURE: NA = Not Applicable
VAPOR PRESSURE: ~ 20 mm Hg at (68°F)
VAPOR DENSITY: > 1 Air = 1
BOILING POINT: 212° F; 100° C
FREEZING POINT: 32° F; 0° C
THERMAL DECOMPOSITION: Not Established
SOLUBILITY IN WATER: Complete
EVAPORATION RATE: (Water =1) <1.0
DENSITY: 8.19 at (68°F)
SPECIFIC GRAVITY: 0.981 grams/ml.
VISCOSITY: Water thin.
(VOC): ≤ 13.130 % by weight

10. STABILITY AND REACTIVITY

REACTIVITY: Stable
HAZARDOUS POLYMERIZATION: Will not occur.
STABILITY: Stable under normal storage and use conditions.
CONDITIONS TO AVOID: Strong oxidizing materials.
HAZARDOUS DECOMPOSITION PRODUCTS: None Expected.
INCOMPATIBLE MATERIALS: Strong oxidizers

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Isopropanol	5045 mg/kg (rat)	12800 mg/kg (rabbit)	16000 ppm
Ethylene glycol butyl ether	1300 mg/kg (rat)	> 2000 mg/kg (rabbit)	> 3.1 mg/l
Sodium Lauryl Sulfate	1200 mg/kg (rat)	> 2000 to 20000 mg/kg (rabbit)	> 3900 mg/m ³ (rat)

EYES: Not Established

DERMAL LD₅₀: Not Established

SKIN ABSORPTION: Not Established

INHALATION LC₅₀: Not Established

EYE EFFECTS: Moderate to severe eye irritant.

SKIN EFFECTS: May irritate skin with prolonged or repeated contact.

CHRONIC: No known significant effects or critical hazards.

CARCINOGENICITY

Chemical Name	NTP Status	IARC Status	OSHA Status
Ethylene glycol butyl ether	No listed substance	Group 3 - Not classifiable as to its carcinogenicity to Humans	No listed substance

IRRITATION: Not Established

SENSITIZATION: No known significant effects or critical hazards.

NEUROTOXICITY: Not Established

REPRODUCTIVE EFFECTS: Not Established

TARGET ORGANS: May cause damage to blood, Kidney, liver with prolonged or repeated exposure to high concentrations of vapors.

MUTAGENICITY: No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Established

ECOTOXICOLOGICAL INFORMATION: Not Established

AQUATIC TOXICITY (ACUTE): Not Established

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. If discarded, this material and its containers should be treated as hazardous waste based on the characteristics of ignitibility as defined under federal RCRA regulations (40 CFR 261). Consult local authorities for disposal into public sewer.

FOR LARGE SPILLS: Consult with local and state authorities for large volume disposal.

PRODUCT DISPOSAL: See above.

EMPTY CONTAINER: Rinse container with clear water. Offer container for recycling, or dispose of in trash.

RCRA/EPA WASTE INFORMATION: NA = Not Applicable

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Cleaning Compound, not regulated.

U.S. CUSTOMS HARMONIZATION NUMBER: 3402.90.10.00

AIR (ICAO/IATA)

SHIPPING NAME: Contact manufacturer for more information.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Health - Acute

FIRE: No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

313 REPORTABLE INGREDIENTS: 2-butoxyethanol 111-76-2 (Category: N230 Certain Glycol Ethers)

EPCRA SECTION 313 SUPPLIER NOTIFICATION

Chemical Name	Wt.%	CAS
Ethylene glycol butyl ether	5 - 10	111-76-2

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: NA = Not Applicable

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: NA = Not Applicable

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Chemical Inventory.

STATES WITH SPECIAL REQUIREMENTS

Chemical Name	Requirements
Isopropanol	Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance
Ethylene glycol butyl ether	Massachusetts Right to Know Substance Pennsylvania Right to Know Substance New Jersey Right To Know Substance
Sodium Lauryl Sulfate	New Jersey Right To Know Substance Pennsylvania Right to Know Substance

CALIFORNIA PROPOSITION 65: No listed substance

CARCINOGEN:

The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of 2-butoxyethanol in humans, but limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans).

16. OTHER INFORMATION


PREPARED BY: Regulatory Affairs Department

Date Prepared: 12/10/2014

HMIS RATING

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

NFPA CODES



MANUFACTURER DISCLAIMER: This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.