

Ultra-IBC Hard Top® #ULT1161 - With Drain 1/package



Comply with regulations while storing IBC tanks outdoors.

- Upper roll-top cover and swing out lower doors combine to allow easy and convenient access to IBC
- Low-profile containment pallet allows safe material handling and dispensing
- Forkliftable, lockable, all-polyethylene design will not rust or corrode
- Drain plug lets you empty sump without relocating stored containers

ULT1161 Specifications

Dimensions:	62" W x 64.5" L x 96" H
Shipping Dimensions:	62" W x 65" L x 96" H
Sold as:	1 per package
Color:	Yellow
Composition:	100% Polyethylene
Load Capacity UDL:	8500 lbs. per package
Sump Capacity:	360 gal. per package
# per Pallet:	1
Incinerable:	No
Ship Class:	250

Metric Equivalent Specifications

Dimensions:	157.5cm W x 163.8cm L x 2.4m H
Shipping Dimensions:	157.5cm W x 165.1cm L x 2.4m H
Load Capacity UDL:	3855.6 kg per package
Sump Capacity:	1362.6 L per package

ULT1161 Technical Information

Warnings & Restrictions:

There are no known warnings and restrictions for this product.

Regulations and Compliance:

40 CFR 264.175 - Hazardous waste containment systems must be free of structural cracks or gaps; designed to keep spilled liquids from remaining in contact with the container; prevent run-on and "have sufficient capacity to contain 10% of the volume of the containers or the volume of the largest container, whichever is greater." For example, four 55-gallon drums require secondary containment of 55 gallons.

40 CFR 122.26 - Facilities must have a detailed plan in place to prevent illegal discharge of pollutants into waterways.

Technical Documents:

(Available at spilltech.com)

Product Data Sheet (PDS)



SpillTech

Online:
spilltech.com

Phone:
1-800-228-3877 (N.Am.)
1-770-475-3877 (Other)

Fax:
1-800-872-3764 (N.Am.)
1-770-410-1812 (Other)

Email:
sales@spilltech.com